IN THE CLAIMS:

Please amend the claims as follows:

1. (Carrently Amended) A display device comprising:

a pixel portion including $\mathbf{m} \times \mathbf{n}$ pixels (\mathbf{m} and \mathbf{n} are both natural numbers and satisfy the relation $\mathbf{m} < \mathbf{n}$), said pixels each having a TFT;

a gate driver for feeding **n** gate signal lines with selection signals;

a source driver for feeding m source signal lines with video data; and

a video data converter circuit,

wherein said video data converter circuit converts a video data (h, k) {(h = 1, 2, 3, ...,

m-1, m) and $(k-1, 2, 3, ..., n \setminus 1, n)$ } into another video data, and

wherein the said video data converter converts a digital video data datum (h, k) is converted $\{(h = 1, 2, 3, ..., m-1, m)\}$ and $\{(k = 1, 2, 3, ..., m-1, n)\}$ into $\{(m \times (k-1) + h)\}$ -th video data datum.

2. (Currently Amended) A display device comprising:

a pixel portion including $\mathbf{m} \times \mathbf{n}$ pixels in a pixel (\mathbf{h}, \mathbf{k}) , $(\mathbf{h} = 1, 2, 3, ..., \mathbf{m} - 1, \mathbf{m})$ and $(\mathbf{k} = 1, 2, 3, ..., \mathbf{n} - 1, \mathbf{n})$, with \mathbf{m} and \mathbf{n} both being natural numbers and satisfying the relation $\mathbf{m} < \mathbf{n}$), said pixels each having a TFT;

a gate driver for feeding n gate signal lines with selection signals;

a source driver for feeding m source signal lines with video data; and

a video data converter circuit,

wherein said video data converter circuit converts a video data (h, k) {(h = 1, 2, 3, ...,

m 1, m) and (k = 1, 2, 3, ..., n-1, n)}-which is to be fed to said pixel (h, k) into another video data, and

wherein the said video data converter converts a digital video data datum (h, k) is converted into {m x (k - 1) + h}-th video data datum.

- 3.(Currently Amended) A rear projector wherein-using three display devices according to claim 1-are used.
- 4. (Currently Amended) A front projector wherein using three display devices according to claim 1-are used.
- 5. (Currently Amended) A rear projector wherein using one display device according to claim 1-is-used.
- 6. (Currently Amended) A front projector wherein using one display device according to claim 1-is used.
- 7. (Currently Amended) An electronic equipment comprising a-the display device according to claim 1 is selected from the group consisting of a head mount display, a computer, a video camera, a DVD player, and display apparatus.
 - 8. (Currently Amended) A rear projector wherein using three display devices according

to claim 2-are-used.

- 9. (Currently Amended) A front projector wherein using three display devices according to claim 2-are used.
- 10. (Currently Amended) A rear projector wherein using one display device according to claim 2 is used.
- 11. (Currently Amended) A front projector wherein using one display device according to claim 2-is used.
- 12. (Currently Amended) An electronic equipment comprising a-the display device according to claim 2 is selected from the group consisting of a head mount display, a computer, a video camera, a DVD player, and display apparatus.
- 13. (Currently Amended) A-The display device according to claim 1 is a liquid crystal display device.
- 14. (Currently Amended) A-The display device according to claim 2 is a liquid crystal display device.
 - 15. (Currently Amended) A display device comprising:

a pixel portion including $\mathbf{m} \times \mathbf{n}$ pixels (\mathbf{m} and \mathbf{n} are both natural numbers and satisfy the relation $\mathbf{m} < \mathbf{n}$), said pixels each having a TFT;

a gate driver for feeding **n** gate signal lines with selection signals;

a source driver for feeding m source signal lines with video data; and

a video data converter circuit,

wherein said video data converter circuit converts a video data (h, k) {(h = 1, 2, 3, ..., m + 1, m) and (k = 1, 2, 3, ..., n + 1, n)} into another video data;

wherein the said video data converter converts a digital video data datum (h, k) is converted $\{(h = 1, 2, 3, ..., m-1, m) \text{ and } (k = 1, 2, 3, ..., m-1, n)\}$ into $\{m \times (k-1) + h\}$ -th video data datum; and

wherein said video data converter circuit has a video formatter, a memory and an address generator.

- 16. (Currently Amended) <u>An</u> electronic equipment comprising a the display device according to claim 15 is selected from the group consisting of a front projector, a rear projector, a head mount display, a computer, a video camera, a DVD player, and display apparatus.
- 17. (Currently Amended) A-The display device according to claim 15 is a liquid crystal display device.
 - 18. (Currently Amended) A display device comprising:
 a pixel portion including **m** x **n** pixels (**m** and **n** are both natural numbers and satisfy the

relation m < n), said pixels each having a TFT;

a gate driver for feeding n gate signal lines with selection signals; a source driver for feeding m source signal lines with video data; and a video data converter circuit,

wherein said video data converter circuit converts a video data (h, k) { (h = 1, 2, 3, ..., m - 1, m) and (k = 1, 2, 3, ..., n - 1, n)} into another video data,

wherein the said video data converter converts a digital video data datum (h, k) is converted $\{(h = 1, 2, 3, ..., m-1, m) \text{ and } (k = 1, 2, 3, ..., n-1, n)\}$ into $\{m \times (k-1) + h\}$ -th video data datum,

wherein said gate driver is formed at a lateral side of the said pixel portion, and wherein said source driver is formed at a longitudinal side of the said pixel portion.

19. (Currently Amended) An electronic equipment comprising a the display device according to claim 18 is selected from the group consisting of a front projector, a rear projector, a head mount display, a computer, a video camera a DVD player, and display apparatus.

20. (Currently Amended) A-The display device according to claim 18 is a liquid crystal display device.

21.(Currently Amended) A display device comprising:

a pixel portion including $\mathbf{m} \times \mathbf{n}$ pixels (\mathbf{m} and \mathbf{n} are both natural numbers and satisfy the relation $\mathbf{m} < \mathbf{n}$), said pixels each having a TFT;

a gate driver for feeding n gate signal lines with selection signals;

a source driver for feeding m source signal lines with video data; and

a video data converter circuit,

wherein said video data converter circuit converts a video data (h, k) { (h = 1, 2, 3, ..., m-1, m) and (k = 1, 2, 3, ..., n-1, n)} into another video data,

wherein the said video data converter converts a digital video data datum (h, k) is converted $\{(h = 1, 2, 3, ..., m-1, m) \text{ and } (k = 1, 2, 3, ..., n-1, n)\}$ into $\{m \times (k-1) + h\}$ -th video data datum, and

wherein said plurality of gate signal lines are vertical and said plurality of source signal lines are horizontal.

- 22. (Currently Amended) <u>An</u> electronic equipment comprising a-the display device according to claim 21 is selected from the group consisting of a front projector, a rear projector, a head mount display, a computer, a video camera, a DVD player, and display apparatus.
- 23. (Currently Amended) A-The display device according to claim 21 is a liquid crystal display device.
- 24. (Currently Amended) A rear projector wherein using three display devices according to claim 15-are used.
 - 25. (Currently Amended) A front projector wherein using three display devices

according to claim 15-are used

- 26. (Currently Amended) A rear projector wherein using one display device according to claim 15-is used.
- 27. (Currently Amended) A front projector wherein using one display device according to claim 15 is used.
- 28. (Currently Amended) A rear projector wherein using three display devices according to claim 18-are used.
- 29. (Currently Amended) A front projector wherein using three display devices according to claim 18-are used.
- 30. (Currently Amended) A rear projector wherein using one display device according to claim 18-is used.
- 31. (Currently Amended) A front projector wherein using one display device according to claim 18 is used.
- 32. (Currently Amended) A rear projector wherein using three display devices according to claim 21 are used.

- 33. (Currently Amended) A front projector wherein-using three display devices according to claim 21-are used.
- 34. (Currently Amended) A rear projector wherein using one display device according to claim 21-is used.
- 35. (Currently Amended) A front projector wherein using one display device according to claim 21-is used.
 - 36. (Currently Amended) A display devide comprising:

a pixel portion including $\mathbf{m} \times \mathbf{n}$ pixels (in a pixel (\mathbf{h}, \mathbf{k}) , $(\mathbf{h} = 1, 2, 3, ..., \mathbf{m}-1, \mathbf{m})$ and $(\mathbf{k} = 1, 2, 3, ..., \mathbf{n}-1, \mathbf{n})$, with \mathbf{m} and \mathbf{n} both being natural numbers and satisfying the relation $\mathbf{m} < \mathbf{n}$), said pixels each having a TFT;

a gate driver for feeding n gate signal lines with selection signals;

a source driver for feeding m source signal lines with video data; and

a video data converter circuit,

wherein said video data converter circuit converts a video data (h, k) { (h = 1, 2, 3, ..., m-1, m) and (k = 1, 2, 3, ..., m-1, m) } which is to be fed to said pixel (h, k) into another video data,

wherein the said video data converter converts a digital video data datum (h, k) is converted into $\{m \times (k-1) + h\}$ -th video data datum, and

wherein said video data converter circuit has a video formatter, a memory and an address generator.

- 37. (Currently Amended) A rear projector wherein using three display devices according to claim 36 are used.
- 38. (Currently Amended) A front projector wherein using three display devices according to claim 36-are used.
- 39. (Currently Amended) A rear projector wherein using one display device according to claim 36-is used.
- 40. (Currently Amended) A front projector wherein using one display device according to claim 36 is used.
- 41. (Currently Amended) An electronic equipment comprising a the display device according to claim 36 is selected from the group consisting of a head mount display, a computer, a video camera, a DVD player, and display apparatus.
- 42. (Currently Amended) A-The display device according to claim 36 is a liquid crystal display device.

Please add the following new claims:

43. (New) A display device comprising:

a pixel portion including $\mathbf{m} \times \mathbf{n}$ pixels (\mathbf{m} and \mathbf{n} are both natural numbers and satisfy the relation $\mathbf{m} < \mathbf{n}$), said pixels each having a TFT;

a gate driver for feeding n gate signal lines with selection signals;

two source drivers for feeding m source signal lines with video data; and

a video data converter circuit,

wherein said video data converter converts a digital video datum (\mathbf{h}, \mathbf{k}) { $(\mathbf{h} = 1, 2, 3, ..., \mathbf{m} = 1, \mathbf{m})$ and $(\mathbf{k} = 1, 2, 3, ..., \mathbf{n} = 1, \mathbf{n})$ } into $\{\mathbf{m} \times (\mathbf{k} = 1) + \mathbf{h}\}$ -th video datum.

44.(New) A rear projector using three display devices according to claim 43.

45. (New) A front projector using three display devices according to claim 43.

46. (New) A rear projector using one display device according to claim 43.

47. (New) A front projector using one display device according to claim 43.

48. (New) An electronic equipment comprising the display device according to claim 43 is selected from the group consisting of a head mount display, a computer, a video camera, a

DVD player, and display apparatus.

49. (New) The display device according to claim 43 is a liquid crystal display device.